ya t	Type Hit	Search Text		DBs	
(1)		(transparent adj (conductive or metal) adj oxide) and ((reflection or reflecting or reflect) adj layer) and led and semicon			
(1)	BRS 1	((transparent adj (conductive or metal) adj oxide) with (reflection or reflecting or reflect or reflected)) and led and semi	USPAT	: US-PGPUE	2004/09
(4 3	BRS 4	((((conductive or metal) adj oxide) with (reflection or reflecting or reflect or reflected)) and led and semiconductor and	USPAT	: US-PGPU	2004/09
2 4		(((((conductive or metal) adj oxide) with (reflection or reflecting or reflect or reflected)) and (led or (((light adj emitting			
5		((((conductive or metal) adj oxide) with (reflection or reflecting or reflect or reflected)) and (led or (((light adj emitting)			
6	BRS 8	((((conductive or metal) adj oxide) with (reflection or reflecting or reflect or reflected or mirror or mirrored or mirroring	USPAT	: US-PGPU	2004/09
(Z	BRS 2	((conductive or metal) adj oxide) with (reflection or reflecting or reflect or reflected or reflective)) and (((led or (((ligh	USPAT	: US-PGPUE	2004/09
8		(((257/13-25.ccls.) and (gan or ga\$1n or (gallium adj nitride) or gallium\$1nitride).clm.) and (@ad<20040217 or @rlad			
2 9	BRS 8	(((257/13-25.ccls.) and (gan or ga\$1n or (gallium adj nitride) or gallium\$1nitride).clm.) and (@ad<20040217 or @rlad	USPAT	: US-PGPUE	2004/08
3 10	BRS 2	((((conductive or metal) adj oxide) with (reflection or reflecting or reflect or reflected or mirror or mirrored or mirroring	USPAT	: US-PGPUE	2004/09
	BRS 0	((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) adj "over" adj transpar	USPAT	: US-PGPUE	3 2004/09
112	BRS 5	((((((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) adj (layer or film) wit	USPAT	: US-PGPUE	2004/09
5 13	BRS 0	(((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) near2 ("over" adj. tran	USPAT	; US-PGPUE	3:2004/09
0 14	BRS 0	(((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) near2 ("over" adj. tran	USPAT	US-PGPUE	2004/09
2 15	BRS 1	"5115441".PN.	USPAT		2004/09
o III	BRS 1	"5459746" PN.	USPAT		2004/09
o 17	BRS 1	*6350997* PN.	USPAT		2004/09
. 18	BRS 3	(((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) near2 ("over" adj. tran	USPAT	US-PGPUE	2004/09
S 119	BRS 5	((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) near2 (ito or (indium a	USPAT	US-PGPUE	2004/09
1 20	BRS 5	((((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) near2 (ito or (indium a	USPAT	US-PGPUE	2004/09
1 21		((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) near2 ("over" adj trans			
1 22		((reflection or reflecting or reflect or reflected or reflective or reflector or mirror or mirrored or mirroring) with ("over			
1 23				US-PGPUE	
24	BRS 3			US-PGPUE	
25	BRS 11			US-PGPUE	
5 26	BRS 2		USPAT	US-PGPUE	2004/09
(10) 27	BRS 4			US-PGPUE	
2 28	BRS B			US-PGPUE	
3 29	BRS 2			US-PGPUE	
2 30	BRS 2	((*6379985*			
	BRS 1			US-PGPUE	
- 32	BRS 1	(((reflection or reflecting or reflect or reflected or reflective or mirror or mirrored or mirroring) near2 ("over" adj tran			
10 23	BRS 28	((reflection or reflecting or reflect or reflected or reflective or reflector or mirror or mirrored or mirroring) with ("over	USPAT	US-PGPUE	2004/09
8 34	BRS 0	((anode with (reflection or reflecting or reflect or reflected or reflective or reflector or mirror or mirrored or mirroring))	USPAT	US-PGPUE	2004/09
4 35	BRS 1	[*] 6791119*	USPAT	US-PGPUE	2004/09
2 36	BRS 10	(((((anode with (reflection or reflecting or reflect or reflected or reflective or reflector or mirror or mirrored or mirroring)	USPAT	US-PGPUE	2004/09
37	BRS 12	(contact with (match or matching or matched or lattice\$1match or lattice\$1 matching or lattice\$1 matched) with (gan or	USPAT	US-PGPUE	2004/09
. 38	BRS 1	(nio or (nickel adi oxide)) and "6791119"	USPAT	US-PGPUE	2004/09
1 34	BRS 12	((contact with (match or matching or matched or lattice\$1match or lattice\$1matching or lattice\$1matched) with (gan o	USPAT	US-PGPUF	2004/09
U Han	BRS 2	((nio or (nickel adj oxide)) with (match or matching or matched or lattice\$1match or lattice\$1matching or lattice\$1mat	USPAT	US-PGPUE	2004/09
		(US-6369506-\$ or US-5777350-\$ or US-6483127-\$ or US-6791119-\$), did., or (US-20040104393-\$ or US-2003007784			
1 42		((US-6369506-\$ or US-5777350-\$ or US-6483127-\$ or US-6791119-\$),did. or (US-20040104393-\$ or US-200300778			
	BRS 27	(((((((anode with (reflection or reflecting or reflect or reflected or reflective or reflector or mirror or mirrored or mirrorin	LICDAT	LIC DODLIC	2004/00

SEST AVAILABLE.

		203 wsp.1)				
**************************************	********	di Tode Xodow Gel⊠¶¶M ••]	140			<u>리카)</u>
72 Sa		Type Hit	Search Text		DBs	.Time:Stam=
- 30 (130番	4 BRS B	((((((anode with (reflection or reflecting or reflect or reflected or reflective or reflector or mirror or mirrored or mirroring			
-43 (₩		((strained\$1layer or (strained adj layer)) adj superlattice adj contact) and (@ad<20040217 or @rlad<20040217) (((strained\$1layer or (strained adj layer)) adj superlattice adj contact) and (@ad<20040217 or @rlad<20040217)) an		US-PGPUE	
90			(((strained\$flayer or (strained adj layer)) adj superlattice adj contact) and (@ad<20040217 or @rlad<20040217)) an			
*) (**)			(((((anode with (reflection or reflecting or reflect or reflected or reflective or reflector or mirror or mirrored or mirroring)			
		9 BRS 29	((((ito or indium\$1tin\$1oxide or (indium adj tin adj oxide)) with (reflection or reflecting or reflect or reflected or reflective	USPAT	US-PGPUE	2004/09/14
*5)(∠ [5	122211	(((((ito or indium\$1tin\$1oxide or (indium adj tin adj oxide)) with (reflection or reflecting or reflect or reflected or reflectiv			Annual contract contr
*9)(8- 5	BRS 5	("6093965" (((ito or indium\$1tin\$1oxide or (indium adj tin adj oxide)) with (reflection or reflecting or reflect or reflected or reflective	USPAT	US-PGPUB	2004/09/14
5 0 (4				US-PGPUE	
59 (٠ 5	BRS 1		USPAT		2004/09/16
1 9	O					Actual and the second second second second second
*2)	2 6	6 BRS 9 ('6093965".PN. (((((strain or straining or graded or strained) with transparent)) and ((257/\$3.cor.) or (438/\$3.cor.) or (372/\$3.cor.)) an	USPAT	US-PGPUB	2004/09/16
***)	<u> </u>				US-PGPUB	
20	· 2	# BRS 23 ((((anode adi formed adi (transparent or (ito or (indium adi tin adi oxide) or indium\$1tin\$1oxide)))) and ((ito or transpar ((anode adi formed adi (transparent or (ito or (indium adi tin adi oxide) or indium\$1tin\$1oxide)))) and ((ito or transpar	USPAT	US-PGPUE	2004/09/16
- 20 (# BRS 22 (((anode adj formed adj (transparent of (ito of (indium adj tin adj oxide) or indium\$1tin\$1oxide)))) and ((ito of transpar ((((anode adj formed adj (transparent of (ito of (indium adj tin adj oxide) or indium\$1tin\$1oxide)))) and ((ito of transpar	HSPAT	US-PGPUB	2004/09/16
30 (·	BRS 22 ((((((anode adj formed adj (transparent or (ito or (indium adj tin adj oxide) or indium\$1tin\$1oxide)))) and ((ito or transp	USPAT	US-PGPUB	2004/09/16
. 1 9)	٠ <u>[</u>	2 BRS 22 (((((anode adi formed adi (transparent or (ito or (indium adi tin adi oxide) or indium\$1tin\$1oxide)))) and ((ito or transpa	USPAT	US-PGPUB	2004/09/16
43	1 6		((anode adi formed adi (transparent or (ito or (indium adi tin adi oxide) or indium\$1tin\$1oxide)))) and ((257/\$3.cor.) or			
			((((metal adj (layer or film) adj2_(transparent or (ito or (indium adj tin adj oxide) or indium\$1tin\$1oxide)))) and (((light	USPAT	US-PGPUB	2004/09/16
*3(2000 04	(strain or straining or graded or strained) and "20040113156" ((strain or straining or graded or strained) adj contact adj (layer or film))			
*20 (<u> </u>	7 BRS 7	((strain or straining or graded or strained) adj contact adj (layer or film)) (((strain or straining or graded or strained) adj contact adj (layer or film)) with (ito or transparent or indium\$1tin\$1oxide	LISPAT		2004/09/10
20 (5		((strain or straining or graded or strained) with (ito or transparent or indium\$1tin\$1 oxide or (indium adj tin adj oxide))			
*2)	S 8		(((strain or straining or graded or strained) adj contact adj (layer or film))) and ((257/\$3.cor.) or (438/\$3.cor.) or (372/			
*2)	10 Z		(((strain or straining or graded or strained) with (ito or transparent or indium\$1tin\$1oxide or (indium adj tin adj oxide))			
30	2⊗ ₹		((((strain or straining or graded or strained) with (ito or transparent or indium\$1tin\$1oxide or (indium adi tin adi oxide))			
30 (3 4		((strain or straining or graded or strained) with (needed or required or necessary) with (ito or transparent or indium\$1			
-50 (3 ¥	3 BRS 9 4 BRS 7 (((257/\$3.cor.) or (438/\$3.cor.) or (372/\$3.cor.)) and (((strain or straining or graded or strained) with (used) with (ito ((superlattice) with (used) with (ito or transparent or indium\$1tin\$1oxide or (indium adj tin adj oxide))) and (@ad<200	USPAT	US-PGPUB	2004/09/16
10	2 1	BRS 0	((super adj lattice) with (used) with (ito or transparent or indium\$1tin\$10xide or (indium adj tin adj oxide))) and (@ad-2d0 ((super adj lattice) with (used) with (ito or transparent or indium\$1tin\$10xide or (indium adj tin adj oxide))) and (@ad-2d0	USPAT:	US-FGFUB	2004/09/10
*20 (1 1	BRS 0	((super\$1lattice) with (used) with (ito or transparent or indium\$1tin\$1oxide or (indium adj tin adj oxide))) and (@ad<	USPAT	US-PGPUB	2004/09/16
*20 (8 7	# BRS 7 (((super\$1 attice) with (used) with (ito or transparent or indium\$1tin\$1oxide or (indium adi tin adi oxide))) and (@ad<2	USPAT	US-PGPUB	2004/09/16
₩ (8≪ BRS 1 (((super\$1 attice) with (activated) with (ito or transparent or indium\$1tin\$1 oxide or (indium adi tin adi oxide))) and (@	USPAT:	US-PGPUB	2004/09/16
***		9 BRS 5 (US-PGPUB	(ATT IN COLUMN TO THE COLUMN TWO IS NOT THE
3 0 (2				US-PGPUB	
**	1	2 BRS 5 (((transparent adj (insulating or insulation or insulator or dielectric)) with ohmic)) and ((257/\$3.cor.) or (438/\$3.cor.) (((transparent adj (insulating or insulation or insulator or dielectric)) with contact)) and ((257/\$3.cor.) or (438/\$3.cor.)	USPAT.	US-PGPUB	2004/09/17
- 59 ((o> I 🗃	BRS 0	transparent with (contact or electrode)) and ((257/\$3.cor.) or (438/\$3.cor.) or (372/\$3.cor.)) and (@ad<20040217 o	USPAT:	US-FGFUB	2004/08/18
*9 (1 1 1 1 1 1 1	BRS 2	((257/\$3.cor.) or (438/\$3.cor.) or (372/\$3.cor.)) and (@ad<20040217 or @rlad<20040217) and (((light adj emitting	USPAT	US-PGPUB	2004/09/19
120	18	5533 BRS 0 ((transparent near (contact or electrode)) and ((257/\$3.cor.) or (438/\$3.cor.) or (372/\$3.cor.)) and (@ad<20040217	USPAT:	US-PGPUB	2004/09/19
20 (1 <u>8</u>	6 BRS 0 (transparent with (contact or electrode)) and ((257/\$3.cor.) or (438/\$3.cor.) or (372/\$3.cor.)) and (@ad<20040217 o	USPAT;	US-PGPUB	2004/09/19
₩ ((V)	<u> </u>	and the second s			<u></u>
(M)	rl2	ge Shadout ton 1860	Consistent Application of the Ciperties			

yan Çerleh ∰ana

#4/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19
2004/09/19

